REMARKS

The claims have been amended to delete the multiple dependent claim status. No new matter is presented by the above amendments.

The claim amendments are supported as follows:

Claim	Amendment Support
1	Mg level supported at page 5, lines 20 and 18
2	Mg level supported at page 5, line 20
3	Mg level supported at page 5, line 20
4	Zn level supported at page 5, line 29 and page 6, line 1
5	Zn level supported at page 6, line 1
6	Zr level supported at page 6, lines 5 and 8
7	Zr level supported at page 6, line 9
8	Zr level supported at page 6, line 9
9	Sc level supported at page 7, lines 25 and 26
10	Sc level supported at page 7, lines 25-27
11	Sc level supported at page 7, lines 25 and 26
12	Mn level supported at page 5, line 25
13	Mn level supported at page 5, line 25
14	Fe level supported at page 6, line 20
15	Fe level supported at page 6, lines 20 - 21
16	Si level supported at page 6, line 27
17	Si level supported at page 6, line 28
18	Cr level supported at page 6, line 12
19	Cu level supported at page 6, line 31
20	Page 1, lines 4-6
21	Page 4, lines 12-14
22	Page 4, lines 23-25
23	Page 4, lines 23-25
24	Original claim 12
25	Original claim 13
26	Original claim 14

27	Original claim 15
28	Original claim 16
29	Original claim 17
30	Same as present Claims 1 and 2

Early and favorable consideration of this application is respectfully requested.

Respectfully submitted,

Date: Dec. 3, 2003 By: _____

Anthony P. Venturino
Registration No. 31,674

APV/bms
ATTORNEY DOCKET NO. APV31528

STEVENS, DAVIS, MILLER & MOSHER, L.L.P.
1615 L STREET, N.W., SUITE 850
WASHINGTON, D.C. 20036
TEL. 202-785-0100 / FAX. 202-408-5200

ATTACHMENT I - Substitute Abstract

ABSTRACT

Aluminium-magnesium alloy product for welded mechanical construction, having the following composition, in weight percent: Mg 3.5-6.0, Mn 0.4-1.2, Zn 0.4-1.5, Zr 0.25 max., Cr 0.3 max., Ti 0.2 max., Fe 0.5 max., Si 0.5 max., Cu 0.4 max.; one or more selected from the group: Bi 0.005-0.1, Pb 0.005-0.1, Sn 0.01-0.1, Ag 0.01-0.5, Sc 0.01-0.5, Li 0.01-0.5, V 0.01-0.3, Ce 0.01-0.3, Y 0.01-0.3, and Ni 0.01-0.3; others (each) 0.05 max., (total) 0.15 max.; and balance aluminium.